



**CAPITAL AREA
GROUND WATER
CONSERVATION
COMMISSION**

Application for a Permit to Drill a New Water Well

Authority: L.R.S. 38:3071 et seq. (Act 1974, No. 678, as amended by Act 1976, No. 231, Act 1980, No. 738, Act 2003, No. 49, Act 2012 No. 601 and Act 795 of 2014.)

Who must apply: All non-exempt users in Capital Area District, consisting of Parishes of East Baton Rouge, East Feliciana, Pointe Coupee, West Baton Rouge, and West Feliciana (See reverse for District Rules and Permit Criteria)

How and When to Apply: At least 30 days prior to planned drilling date, send this form along with a set of well plans to conform to the requirements in the water well permit rules. (See reverse for District Rules and Permit Criteria)

Applicant (well owner): Water Works District No.1 of Pointe Coupee **Phone:** 225-229-7565

Agent (If other than owner): Owen and White, Inc. **Phone:** 225-926-5125

Mailing address: P.O. Box 290, New Roads, LA 70760

Driller: TBD **WWC No.** _____

Anticipated date of well installation: 12/2024

Location of site (Precise location, including site map, will be required for the completed well.)

Latitude (DMS) 30°39'40.32"N

Longitude (DMS) 91°29'13.20"W

Depth of Well 1310' **Casing Size** 12" **Screen Size** 8"

Aquifer to be screened: 1200 Foot Sand

Use of water: Public Supply () Industrial () Power Generation ()
Other (Describe) _____

Proposed Well Yield 650 GPM

Anticipated Average Daily Pumpage (in gallons) 936,000

Location and depth of nearby wells within 1,000 feet of proposed well site (attach more sheets as necessary)

077-203 Mix Water Well No. 2 - 30.3927 N, 91.2912 W (see attachment)

077-157 Mix Water Well No. 2 - 30.3927 N, 91.2912 W (see attachemnt)

Signature of applicant or agent *A. Gilbert* **Date** 09/18/2023
Printed Name: Anna Gilbert

This permit is valid only for the location and well plans specified and expires 12 months from date of issue. No fee is required for a permit.

Mail to: Capital Area Ground Water Conservation District
3535 S. Sherwood Forest, #137
Baton Rouge, Louisiana 70816-2255

OFFICE USE ONLY

Permit: Granted () Denied () **Permit No.:** 2023-3 **Date:** 9/29/23

Justification and/or remarks No of DSS fault. No effect on saltwater plume in models.

Form P1 (2/16)

Approved by: *[Signature]*