



**CAPITAL AREA
GROUND WATER
CONSERVATION
COMMISSION**

Application for a Permit to Drill a New Water Well

Authority: L.R.S. 38:3071 et seq. (Act 1974, No. 678, as amended by Act 1976, No. 231, Act 1980, No. 738, Act 2003, No. 774, Act 2012 No. 601, 2012, No.753, Act 2014 No.795, Act 2018, No. 625, Act 2019, No. 200, Act 2021, No. 330.)

Who must apply: All non-exempt users in Capital Area District, consisting of the following Parishes: Ascension: East Baton Rouge: East Feliciana: Pointe Coupee: West Baton Rouge: and West Feliciana. (See reverse for District Rules and Permit Criteria)

How and When to Apply: At least 90 days prior to planned drilling date, send this form along with a set of well plans to conform to the requirements in the water well permit rules. (See reverse for District Rules and Permit Criteria)

Clear Form

Applicant (well owner): Lion Copolymer Geismar, LLC **Phone:** (225) 673-0783

Agent (If other than owner): David Hawley, P.E. - David.hawley@c-ka.com **Phone:** (225) 923-6480

Mailing address: 36191 Highway 30, Geismar, LA 70734

Driller: TBD **WWC No.:** TBD

Anticipated date of well installation: 4/5/2024

Location of site: (Precise location, including site map, will be required for the completed well.)

Latitude (DMS) 30 12 8.17
Longitude (DMS) 91 0 19.13

Depth of Well 530 **Casing Size** 16 **Screen Size** 8

Depth of Sand screened: 390 to 530 ft bgs

Use of water: Public Supply Industrial Power Generation
Other (Describe)

Proposed Well Yield (Max Pumping Capacity in gpm) 1,500

Requested Daily Permitted Volume (in gallons) 2,160,000

Location and depth of nearby wells within 1,000 feet of proposed well site (attach more sheets as necessary) See Table included with submission.

Signature of applicant or agent: [Signature] **Date:** 1/3/2024

Printed Name: John Komidor - Lion Copolymer Geismar, LLC

Email: John.Komidor@lionelastomers.com **Phone:** (225) 673-0783

This permit is valid only for the location and well plans specified and expires 12 months from date of issue.

Mail to: Capital Area Ground Water Conservation District or **Email to:** CAGInfo@LA.gov
3074 Westfork Drive, Suite A
Baton Rouge, Louisiana 70816

Exp 3/15/25

Lion Copolymer Well 3

OFFICE USE ONLY

Permit Application: Granted Denied Permit No.: 2024-05 Date: 3/15/24

Justification and/or remarks: S of BR fault. No effect on saltwater plume.

Form PI (9/23)

Approved by: [Signature]