



**CAPITAL AREA  
GROUND WATER  
CONSERVATION  
COMMISSION**

# Application for a Permit to Drill a New Water Well

**Authority:** L.R.S. 38:3071 et seq. (Act 1974, No. 678, as amended by Act 1976, No. 231, Act 1980, No. 738, Act 2003, No. 49, Act 2012 No. 601 and Act 795 of 2014.)

**Who must apply:** All non-exempt users in Capital Area District, consisting of Parishes of East Baton Rouge, East Feliciana, Pointe Coupee, West Baton Rouge, and West Feliciana (See reverse for District Rules and Permit Criteria)

**How and When to Apply:** At least 30 days prior to planned drilling date, send this form along with a set of well plans to conform to the requirements in the water well permit rules. (See reverse for District Rules and Permit Criteria)

**Applicant (well owner):** Zachary, City of **Phone:** 225-654-0287  
**Agent (If other than owner):** Zachary, City of **Phone:** 225-654-0287  
**Mailing address:** 4700 Main Street Zachary, LA 70791

**Driller:** Griner Drilling Service, Inc. **WWC No.** 059

**Anticipated date of well installation:** 10-15-23

**Location of site** (Precise location, including site map, will be required for the completed well.)

**Latitude (DMS)** 30°38'50.48"N

**Longitude (DMS)** 91° 8'34.99"W

**Depth of Well** 2,100' **Casing Size** 12" **Screen Size** 8"

**Aquifer to be screened:** \_\_\_\_\_

**Use of water:** Public Supply (X) Industrial ( ) Power Generation ( )  
Other (Describe) \_\_\_\_\_

**Proposed Well Yield** 1,000 GPM

**Anticipated Average Daily Pumpage (in gallons)** 480,000

**Location and depth of nearby wells within 1,000 feet of proposed well site (attach more sheets as necessary)**

Existing Well on site to be Abandoned as Part of the Contract. See Lat /Long Above. Depth 2,080

Registration for Well to be abandoned is attached.

**Signature of applicant or agent** Charlie Griner **Date** 7-18-23  
**Printed Name:** Charlie Griner

**This permit is valid only for the location and well plans specified and expires 12 months from date of issue. No fee is required for a permit.**

**Mail to:** Capital Area Ground Water Conservation District  
3535 S. Sherwood Forest, #137  
Baton Rouge, Louisiana 70816-2255

OFFICE USE ONLY

**Permit:** Granted (✓) Denied ( ) **Permit No.:** 2023-1 **Date:** 9/29/23

**Justification and/or remarks** N of DSS Fault; no effect on saltwater plume in models.

Form P1 (2/16)

**Approved by:** Jay J. Beard